


# PROUD TO PRESENT



### **Our Product**

STYRE NPDU was created to meet the latest Data Center monitoring standards that include real time communication technology, power distribution to electric metering and environment sensor that are always connected.



Key Features

- ✓ Electricity Monitoring
  Real time monitoring for power
  and electricity at each output
  socket well on individual or
  whole
- ✓ Stand by Sensor
  Temperature, humidity, smoke
  and server rack doors
- ✓ Flexible Output
  Ouput socket can be used along client needs









### Information

Realtime Monitoring	
Total	Total load current, Power Factor, Set total voltage threshold
Output	Output current, Clear output power (kWh)
Sensor	Temperature and Humidity state
Device	Local alarm, LCD Display, Set the work node
Network	IPV4, HTTP/HTTPS, SMTP, ModBus, Wifi Ready, Daisy Chain Ready
Alarm	
User Defined Alarn	Set output unit alarm, set total voltage alarm
System Defaul Alarn	ğ ğ
Alarm method	SNMP sends trap alarm information

#### **Accessing Method**

Web based

SNMP (V1/V2C/V3)

Telnet

Radius

#### **Central Management**

Sensor Management Authority

Device Management Authority

User Management Authority

Log Management Authority

#### Log Record

Record and save the operating and alert information, graphic record of electric parameters and environment which can be exported

Note: Specification are subject to change without notice









## **DISCUSSION**













# THANK YOU

#### PT. OTKA TEKNO ADITAMA

Setiabudi 2 Building 2nd floor Suite 207 B-C. Jl. H. R. Rasuna Said Kav. 62.

Jakarta 12920 ~ Indonesia

T: 021-52900828 - F: 021-52971875

Website: http://www.otka.co.id - Email: info@otka.co.id